



**Centrifugal Pumps**



BC/BP-Series



MB100-Series



ExD-Series

**Applications**

- Unloading
- Transfer
- CIP supply

**Materials**

- 316L
- Buna-N, EPDM, silicone, and FKM elastomers

**Features**

- Wet ends, motor pump units, and carts
- 3A certified for CIP

**Sizes**

- Inlet 1" to 6"
- Outlet 1-1/2" to 4"

**RZL-Series Positive Displacement Pumps**



**Applications**

- Unloading
- Fluid transfer
- Metering
- CIP supply

**Material**

- 316L

**Features**

- Front loading seals
- Various rotor options
- 100 to 300 models stainless steel gear box standard
- 3A and EHEDG certified
- CIP certified

**Sizes**

- 1" to 10"

**BV2C-Series Ball Valves**



**Applications**

- Isolation
- Diversion
- Control

**Material**

- CF8M

**Features**

- 5 encapsulated seat materials available
- ISO 5211 mounting pad standard
- Optional 2-way V-port seat
- Various actuation and control packages

**Sizes**

- 1/2" to 4"

**B5107 and B5116-Series Butterfly Valves**



B5107-Series



B5116-Series

**Applications**

- Isolation
- Control

**Materials**

- B5107: 316L
- B5116: 304

**Sizes**

- 1/2" to 8"

**Features**

**B5107**

- Various actuation and control packages
- Multiple handle options
- Seat materials: silicone, EPDM, and FKM elastomers

**B5116**

- Silicone seat material only
- Manual handle only; cannot be actuated

**Sanitary Filtration**



**Applications**

- Liquid filtration

**Materials**

- 316L


**Cartridge Element Options**

- Melt blown
- PES
- PHE
- Carbon
- Stainless steel

**Sizes**

- Port connection - 1" to 4"
- Number of elements - 1, 3, 5, 7, 12, and 21
- Cartridge element lengths - 10", 20", 30" and 40"

**Strainers**



**Application**

- Filtering

**Material**

- 316L

**Features**

- Inline
- Side entry and side outlet
- Dual strainer assemblies using ball or butterfly valves
- 3A certified for CIP

**Sizes**

- 1" to 3"

**SSV-Series Seat Valves**



**Applications**

- Isolation
- Diversion

**Material**

- 316L

**Features**

- Body machined from solid bar
- Field serviceable
- Various control top options
- 3A certified for CIP

**Sizes**

- 1" to 4"

**Check Valves, Sight Glasses, Sample Valves, and Swivels**



Spring Check Valves

Sight Glasses

Y-Ball Check Valve

Swivels

Sample Valves

